

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94	heartbeat with signal with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:43
L2	91	heartbeat with signal with server\$1 and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:43
L3	58	heartbeat with signal with server\$1 and network\$1 and (file\$1 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:44
L4	0	heartbeat with signal with server\$1 and network\$1 and (file\$1 with system\$1) and (space with utiliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:45
L5	36	heartbeat with signal with server\$1 and network\$1 and (file\$1 with system\$1) and (space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:45
L6	3	heartbeat with signal with server\$1 and network\$1 and (file\$1 with system\$1) and ((heartbeat\$1 or signal\$1) with space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:58
L7	0	heartbeat with server\$1 and (file\$1 with system\$1) and ((heartbeat\$1 or signal\$1) with memory with space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:59
L8	53	heartbeat with server\$1 and (file\$1 with system\$1) and (memory with space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:59

L9	53	(heartbeat with server\$1) and (file\$1 with system\$1) and (memory with space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:59
L10	1	("6725392").PN.	USPAT; USOCR	OR	OFF	2006/01/19 14:15
L11	0	("6725392and(state\$1withserver\$2)").PN.	USPAT; USOCR	OR	OFF	2006/01/19 14:12
L12	0	L10 and (state\$1 with server\$2)	USPAT	OR	OFF	2006/01/19 14:12
L13	1845	state with server with data with stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:15
L14	628	(state with server with data with stor\$4) and (file\$1 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:16
L15	46	(state with server with data with stor\$4) and (file\$1 with system\$1) and (data with version\$1 with number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:17
L16	7	(state with server with data with stor\$4) and (file\$1 with system\$1) and (data with version\$1 with number\$1 with state\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:30
L17	1	("5991804").PN.	USPAT; USOCR	OR	OFF	2006/01/19 14:30
L18	0	("L17andversion\$1").PN.	USPAT; USOCR	OR	OFF	2006/01/19 14:30
L19	0	L17 and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:30
S1	453	(stor\$3 with data with ("fault-tolerant" or (fault adj tolerant))) and distribut\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:18

S2	302	(stor\$3 with data with ("fault-tolerant" or (fault adj tolerant))) and (distribut\$2 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:18
S3	0	(stor\$3 with data with ("fault-tolerant" or (fault adj tolerant))) and (distribut\$2 with system\$1) and (chunk with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:19
S4	14	(stor\$3 with data with ("fault-tolerant" or (fault adj tolerant))) and (distribut\$2 with system\$1) and (chunk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:24
S6	1	(stor\$3 with data with ("fault-tolerant" or (fault adj tolerant))) and (distribut\$2 with system\$1) and (chunk\$1) and (server\$1 with ((stor\$3 with data) or database\$1 or (data adj repositor\$3))) and master\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:21
S7	1094	method\$1 with system\$1 with manag\$4 with data with object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:28
S8	61	(method\$1 with system\$1 with manag\$4 with data with object\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:25
S9	0	(method\$1 with system\$1 with manag\$4 with data with object\$1).ti. and ("fault-tolerant" or (fault adj tolerant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:26
S10	21	(method\$1 with system\$1 with manag\$4 with data with object\$1) and ("fault-tolerant" or (fault adj tolerant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:28

S11	19	(method\$1 with system\$1 with manag\$4 with data with object\$1) and ("fault-tolerant" or (fault adj tolerant)) and (distribut\$2 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:29
S12	1	(method\$1 with system\$1 with manag\$4 with data with object\$1) and ("fault-tolerant" or (fault adj tolerant)) and (distribut\$2 with system\$1) and chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:31
S13	1	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (object\$1 or (file adj system\$1))) and ("fault-tolerant" or (fault adj tolerant)) and (distribut\$2 with system\$1) and chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:34
S14	388	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:35
S15	139	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1)) and (distribut\$2 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:35
S16	21	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1)) and (distribut\$2 with system\$1) and ((fault-toleran\$3) or (fault with toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:38
S17	21	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1)) and (distribut\$2 with system\$1) and ("fault-tolerances" or "fault-tolerance" or "fault-tolerant" or (fault with toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:50
S18	0	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1)) and (distribut\$2 with system\$1) and ("fault-tolerances" or "fault-tolerance" or "fault-tolerant" or (fault with toleran\$3)) and chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:39

S19	1	(method\$1 with system\$1 with (manag\$4 or maintain\$3) with data with (file adj system\$1)) and (distribut\$2 with system\$1) and ("fault-tolerances" or "fault-tolerance" or "fault-tolerant" or (fault with toleran\$3)) and chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:46
S20	163	google.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:38
S21	0	google.as. and (chunk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:47
S22	2	google.as. and (plurality with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:47
S23	0	google.as. and (master\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:47
S24	0	google.as. and (startup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:47
S25	0	(distribut\$3 with file with system\$1 with scalable with aggregate with performance with continu\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:52
S26	0	(distribut\$3 with file with system\$1) and (scalable with aggregate with performance) and (continu\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:52

S27	112	(distribut\$3 with file with system\$1) and (performance\$1) and (continus\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:53
S28	26	(distribut\$3 with file with system\$1) and (scal\$4 with performance\$1) and (continus\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:53
S29	112	(distribut\$3 with file with system\$1) and (scal\$4 with aggregate\$1 performance\$1) and (continus\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:53
S30	0	(distribut\$3 with file with system\$1) and (scal\$4 with aggregate\$1 with performance\$1) and (continus\$3 with operation\$1 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:14
S31	0	chunk\$1 with server\$1 with master with file\$1 with system\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:18
S32	164	google.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:43
S33	0	S32 and (distributed with file with system) and (continus\$3 with operation\$1 with failure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:43
S34	85	(distributed with file with system) and (continus\$3 with operation\$1 with failure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:45

S35	36	(scal\$4 with distributed with file with system) and (continues\$3 with operation\$1 with failure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:45
S36	2	(scal\$4 with distributed with file with system) and (continues\$3 with operation\$1 with failure\$1) and (aggregate with performance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 10:16
S37	0	(scal\$4 with distributed with file with system) and (continues\$3 with operation\$1 with failure\$1) and (aggregate with performance\$1) and (chunk\$1 or chunk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:47
S38	2	(scal\$4 with distributed with file with system) and (continues\$3 with operation\$1 with failure\$1) and (aggregate with performance\$1) and "64"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:51
S39	0	(scal\$4 with distributed with file with system) and (continues\$3 with operation\$1 with failure\$1) and (aggregate with performance\$1) and "64 MB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 10:16
S40	7376	707/1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:51
S41	1257	S40 and (file adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:52
S42	55	S40 and ((file adj system\$1) and (master\$1 with server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:53

S43	49	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:53
S44	36	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:57
S45	1	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data) and (master\$1 with identif\$5 with data with server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:55
S46	0	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data) and (master\$1 with identif\$5 with data with server\$1) and (locatio\$1 with data with server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:55
S47	0	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data) and (master\$1 with identif\$5 with data with server\$1) and (locat\$4 with data with server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:55
S48	0	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data) and (master\$1 with identif\$5 with data with server\$1) and chunk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:56
S49	2	S40 and ((file adj system\$1) and (master\$1 with server\$1) and (server\$1 with stor\$3 with data) and chunk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:14
S50	2277	(digital with equipment with corporation).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:58

S51	1	(digital with equipment with corporation).as. and Lee.in. and Mann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:18
S52	22	(digital with equipment with corporation).as. and (distribut\$3 with file with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:18
S53	2	(digital with equipment with corporation).as. and (distribut\$3 with file with system\$1) and chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:19
S54	0	(digital with equipment with corporation).as. and (distribut\$3 with file with system\$1) and chunk\$1 and "64MB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:19
S55	1	(digital with equipment with corporation).as. and (distribut\$3 with file with system\$1) and chunk\$1 and "64"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:26
S56	9186	((fault adj tolerance) or "fault-tolerance")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:27
S57	666	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:28
S58	38	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1) and server\$1 and ((startup or "start-up" or (start adj up)) with operation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:30

S59	36	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1) and server\$1 and ((startup or "start-up" or (start adj up)) with operation\$1) and (locat\$3 with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:31
S60	0	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1) and server\$1 and ((startup or "start-up" or (start adj up)) with operation\$1) and (locat\$3 with information) and (indentif\$4 with data with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:31
S62	1	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1) and server\$1 and ((startup or "start-up" or (start adj up)) with operation\$1) and (locat\$3 with information) and (identif\$4 with locat\$4 with data with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:32
S63	19	("5465365" "5623666" "5740367" "5764972").PN. OR ("6173293").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 12:43
S64	21	(chunk\$1 adj server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 13:16
S65	12	(chunk\$1 adj server\$1) and ((master with server\$1) or (application\$2 with server\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 12:49
S66	21	(chunk\$1 adj server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 12:49
S67	0	(chunk\$1 adj server\$1) and (heartbeat\$1 with signal\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 13:17
S68	103	(distributed with file with system\$1) and (heartbeat\$1 with signal\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 13:18
S69	8	(distributed with file with system\$1) and (heartbeat\$1 with signal\$1) and (state with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 13:18
S70	0	(distributed with file with system\$1) and (heartbeat\$1 with signal\$1) and (state with server\$1) and (space with utiliz\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 13:19
S71	7	(distributed with file with system\$1) and (heartbeat\$1 with signal\$1) and (state with server\$1) and (version\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:57

S72	64	((chunk\$1 with server\$1) or (file with server\$1)) and creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:24
S73	67	((chunk\$1 with server\$1) or (file with server\$1)) and creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:24
S74	13	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:24
S75	13	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:25
S76	13	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:28
S77	3	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1) and (distributed adj2 system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:25
S78	3	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1) and (distributed adj2 system\$1) and (locat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:37
S79	0	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1) and (distributed adj2 system\$1) and (locat\$4) and ((fault adj tolerance) or (fault adj tolerant) or "fault-tolerance" or "fault-tolerant")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:27

S80	0	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1) and (distributed adj2 system\$1) and (locat\$4) and ((fault adj tolerance) or (fault adj tolerant) or "fault-tolerance" or "fault-tolerant")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:28
S81	0	((chunk\$1 with server\$1) or (file with server\$1)) with (creat\$3 and (replicat\$5 or copy\$3) and rebalanc\$4) and (file adj system\$1) and ((fault adj tolerance) or (fault adj tolerant) or "fault-tolerance" or "fault-tolerant")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:28
S82	25	((fault adj tolerance) or "fault-tolerance") and (distribut\$3 with file\$1 with system\$1) and server\$1 and ((startup or "start-up" or (start adj up)) with operation\$1) and (locat\$3 with information) and (identif\$4 with data with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:31
S83	24276	chunk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:40
S84	2	google.as. and (file with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:38
S85	1474	chunk\$1 and (file adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:40
S86	459	(file\$1 with chunk\$1) and (file adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:41
S87	78	(file\$1 with chunk\$1) and (file adj system\$1) and (plurality with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:42

S88	1	(file\$1 with chunk\$1) and (file adj system\$1) and (plurality with server\$1) and (master with connect\$3 with servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:42
S89	4	(file\$1 with chunk\$1) and (file adj system\$1) and (plurality with server\$1) and (record\$3 with (information or data) with location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:43
S90	4	(distributed with file with system\$1) and (heartbeat\$1 with signal\$1) and (state with server\$1) and (version\$1) and metadata	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:13
S91	3636	(distributed with file with system\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:16
S92	1168	(distributed with file with system\$1) and (plurality with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:17
S93	1060	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with volume\$1 or block\$1 or chunk\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:17
S94	556	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with (volume\$1 or block\$1 or chunk\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:18
S95	68	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with (volume\$1 or block\$1 or chunk\$1)) and (metadata with location)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:18
S96	51	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with (volume\$1 or block\$1 or chunk\$1)) and (metadata with location) and (fault adj tolerance)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:19
S97	49	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with (volume\$1 or block\$1 or chunk\$1)) and (metadata with location) and (fault adj tolerance) and aggregat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:20
S98	14	(distributed with file with system\$1) and (plurality with server\$1) and (file\$1 with (volume\$1 or block\$1 or chunk\$1)) and (metadata with location) and (fault adj tolerance) and aggregat\$4 and master	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 16:19

S99	141	(content adj management adj server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 16:20
S10 0	66	(content adj management adj server\$1) and (file with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 16:20
S10 1	23	(content adj management adj server\$1) and (file adj server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 16:25
S10 2	0	(digital with equipment with corporation).as. and Thekkath.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:58
S10 3	3	(digital with equipment with corporation).as. and Thekkath.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:58
S10 4	1	("5991804").PN.	USPAT; USOCR	OR	OFF	2006/01/18 09:28
S10 5	0	(master with heartbeat\$1 with server\$1 with state\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:14
S10 6	15	(file with system\$1) and server\$1 and (master\$1 or controller\$1) and (heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:17
S10 7	0	(file with system\$1) and server\$1 and (master\$1 or controller\$1) and (heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (space with utiliz\$6 with signal\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:18
S10 8	9	(file with system\$1) and server\$1 and (master\$1 or controller\$1) and (heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:36
S10 9	5	(file with system\$1) and server\$1 and (master\$1 or controller\$1) and (heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (distribut\$4 with data)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:19

S11 0	3	(file with system\$1) and server\$1 and (master\$1 or controller\$1) and (heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (distributed\$4 with data) and ((fault adj toleran\$3) or "fault-tolerance" or "fault-tolerant")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:20
S11 1	17	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:36
S11 2	14	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (master\$1 or controller\$1) and ((file or data or chunk) with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:38
S11 3	3	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1 with number\$1) and (master\$1 or controller\$1) and ((file or data or chunk) with server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:37
S11 4	10	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (master\$1 or controller\$1) and ((file or data or chunk) with server\$1) and space	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 14:42
S11 5	0	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (master\$1 or controller\$1) and ((file or data or chunk) with server\$1) and (space with utilization)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:38
S11 6	0	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (version\$1) and (master\$1 or controller\$1) and ((file or data or chunk) with server\$1) and (memory with space with (heartbeat\$1 or signal\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 14:44
S11 7	0	(heartbeat\$1 with signal\$1) and ((heartbeat\$1 or signal\$1) with state\$1 with server\$1) and (distributed adj file adj system\$1) and (memory with space with (heartbeat\$1 or signal\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 14:45

S11 8	100	strip\$3 and ((distributed adj2 system\$1) or (distributed adj architecture\$1)) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3)) and (server\$1 with data) and ((space with utilization) or (storage with use) or (memory with space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:51
S11 9	4	strip\$3 and ((distributed adj2 system\$1) or (distributed adj architecture\$1)) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3)) and (server\$1 with data) and ((space with utilization) or (storage with use) or (memory with space)) and (heartbeat\$1 with signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:51
S12 0	4	strip\$3 and ((distributed adj2 system\$1) or (distributed adj architecture\$1)) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3)) and (server\$1 with data) and ((space with utilization) or (storage with use) or (memory with space)) and (heartbeat\$1 with signal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:52
S12 1	4	strip\$3 and ((distributed adj2 system\$1) or (distributed adj architecture\$1)) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3)) and (server\$1 with data) and ((space with utilization) or (storage with use) or (memory with space)) and (heartbeat\$1 with signal\$3) and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:22
S12 2	5	strip\$3 and ((distributed adj2 system\$1) or (distributed adj architecture\$1) or (file adj system\$1)) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3)) and (server\$1 with data) and ((space with utilization) or (storage with use) or (memory with space)) and (heartbeat\$1 with signal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:25
S12 3	148	(distributed with file with system\$1) and (controller or master) and server\$1 and ((distribut\$3 or placement or plac\$3) with new with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:27

S12 4	57	(distributed with file with system\$1) and (controller or master) and server\$1 and ((distribut\$3 or placement or plac\$3) with new with data) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:28
S12 5	10	(distributed with file with system\$1) and (controller or master) and server\$1 and ((distribut\$3 or placement or plac\$3) with new with data) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3)) and (media with file with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:29
S12 6	388	(controller) and (file with system\$1) and media and heartbeat\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S12 7	28	(controller) and (file with system\$1) and media and (heartbeat\$1 same state\$1 same server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:55
S12 8	13	(controller) and (file with system\$1) and media and (heartbeat\$1 same state\$1 same server\$1) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:59
S12 9	19	(controller) and (file with system\$1) and (heartbeat\$1 same state\$1 same server\$1) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:05
S13 0	6	S129 not S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:59
S13 1	31	(controller) and (file with system\$1) and (heartbeat\$1 same state\$1 same server\$1) and ("fault-tolerance" or "fault-tolerant" or (fault adj toleran\$3 or failover or "fail-over"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:05

S13 2	12	S131 not S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:08
S13 3	4629	((controller\$1) with (file with system\$1)) and ((plac\$5 or distribut\$3) with new data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:09
S13 4	259	((controller\$1) with (file with system\$1)) and ((plac\$5 or distribut\$3) with new data) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:10
S13 5	46	((controller\$1) with (file with system\$1)) and ((plac\$5 or distribut\$3) with new with data) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:10
S13 6	1	((controller\$1) with (file with system\$1)) and ((plac\$5 or distribut\$3) with new with data with server\$1 with (controller\$1 or master\$1)) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:15
S13 7	3	((controller\$1) with (file with system\$1)) and ((plac\$5 or distribut\$3) with new with data with (controller\$1 or master\$1)) and ("fault-tolerant" or "fault-tolerance" or (fault adj toleran\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:23